



Displayed as:
Humana-Statin Management

Humana-Statin Use in Cardiovascular Disease & Diabetes

A Custom Humana Measure Evaluating Performance of Statin Use in Two Different Disease States

- Custom measure designed by Humana combining two industry-endorsed measures (Statin use in persons with Diabetes **D** and Statin Therapy for persons with Cardiovascular Disease **C**) used to evaluate appropriate statin use
- Members qualify for the measure based upon the Humana plan they are enrolled in (MAPD or PDP)



Medicare Advantage Prescription Drug Plan (MAPD) Members

Three ways to qualify for measurement


Calculation



MAPD members with at least one prescription claim for a statin or statin combination of any intensity within the measurement period



MAPD members with at least one prescription claim for a moderate or high-intensity statin



MAPD members with at least one prescription claim for a moderate or high-intensity statin*

*Link to moderate or high-intensity statin table

OR

OR

Denominator

Members qualify with two fills for a diabetes medication on two different dates of service for those aged 41-75

Members qualify with a diagnosis of cardiovascular disease (males aged 22-75, and females aged 41-75)

Members qualify with a combination of a diagnosis of cardiovascular disease and two fills for a diabetes medication (males aged 22-75, and females aged 41-75)

Prescription Drug Plan (PDP) Members

Calculation



Numerator

PDP members with a statin or statin combination of any intensity within the measurement period

Denominator

PDP members qualify for the denominator based upon having at least two diabetes medication fills on different dates and being 41 to 75 years of age on last day of measurement period

Exclusions

Members with the following are excluded:

- Any gap in member eligibility
- At least one day of End Stage Renal Disease (ESRD) eligibility during measurement period
- A cardiovascular disease diagnosis OR with both a cardiovascular disease diagnosis and a diabetes diagnosis AND any of the following diagnoses within the measurement period or the 12 months prior:
 - Pregnancy
 - In vitro fertilization
 - One prescription claim for clomiphene
 - Cirrhosis diagnosis
 - Diagnosis of myalgia, myositis, myopathy, or rhabdomyolysis

